

AD-A085 443

NAVAL OCEANOGRAPHIC OFFICE NSTL STATION MS
SURFACE CURRENTS, NORTHEAST CENTRAL SOUTH PACIFIC OCEAN. (U)


P/8 8/3

NOV 77

UNCLASSIFIED N00-SP-1403-SP-3

NL

END
DATE FILMED
7-80
DTIC




NAVAL OCEANOGRAPHIC OFFICE SPECIAL PUBLICATION 403-SP 3

SURFACE CURRENTS

(12) LEVEL II

NORTHEAST CENTRAL SOUTH PACIFIC OCEAN



NOVEMBER 1977
REPRINTED 1980



DTIC
SELECTED
S D
JUN 13 1980

THIS DOCUMENT IS BEST QUALITY PRACTICABLE.
THE COPY FURNISHED TO DDC CONTAINED A
SIGNIFICANT NUMBER OF PAGES WHICH DO NOT
REPRODUCE LEGIBLY.

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

DEPARTMENT OF THE NAVY
NSTL STATION, MISSISSIPPI 39522

80 69 199

ABSTRACT

THIS ATLAS, AND THE SERIES OF WHICH IT IS A PART, IS COMPUTER GENERATED AND AUTOMATICALLY PLOTTED. IT MAKES AVAILABLE TO THE USER THE MOST RECENT SURFACE CURRENT DATA COLLECTED AND WILL BE UPDATED WHENEVER SUFFICIENT AMOUNTS OF DATA ARE ADDED TO THE DATA FILE. THIS AND THE OTHER ATLASES ARE BASED ON A VAST QUANTITY OF DATA AS COMPARED TO THE PREVIOUS MANUALLY-COMPILED EDITIONS PRINTED IN THE MID-THIRTIES.

THE SURFACE CURRENT INFORMATION IS BASED MAINLY ON SHIP DRIFT, WHICH IS THE DIFFERENCE BETWEEN THE DEAD RECKONING POSITION AND THE POSITION DETERMINED BY ANY TYPE OF NAVIGATIONAL FIX. THIS DIFFERENCE DESCRIBES THE DIRECTION AND SPEED OF THE CURRENT.

DISCLAIMER NOTICE

**THIS DOCUMENT IS BEST QUALITY
PRACTICABLE. THE COPY FURNISHED
TO DTIC CONTAINED A SIGNIFICANT
NUMBER OF PAGES WHICH DO NOT
REPRODUCE LEGIBLY.**

(6) SURFACE CURRENTS .

NORTHEAST CENTRAL SOUTH PACIFIC OCEA



(11) NOV [REDACTED] 77
REPRINTED 1980

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

NAVAL OCEANOGRAPHIC OFFICE
NSTL STATION, MISSISSIPPI 39522

(14) NOO-SP-1403-SP-3

FACE CURRENTS.

ENTRAL SOUTH PACIFIC OCEAN.



(9) Final rept.

NOV [REDACTED] 77

REPRINTED 1980

(12) 26

FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

AL OCEANOGRAPHIC OFFICE
STATION, MISSISSIPPI 39522

2
250450 7/11

ACKNOWLEDGMENTS

**Messrs. Raymond J. Beauchesne* and William E. Boisvert
made major contributions to this atlas.**

***Mr. Beauchesne presently is employed by the Bureau of
Naval Personnel.**

FOREWORD

THIS ATLAS, ONE IN A SERIES OF 43 REGIONAL SURFACES, IS PRODUCED TO FULFILL A NEED OF NAVY PLANNING STAFFS AND INDUSTRIAL COMMUNITIES FOR THE LATEST AVAILABLE OCEAN SURFACE INFORMATION. THESE ATLASES ADD TO THE WEALTH OF NAUTICAL INFORMATION UPON WHICH NAUTICAL PLANNING, NAVIGATIONAL SAFETY, AND SHIPPING ECONOMY DEPEND. PRODUCTION AND WIDE DISSEMINATION OF THIS ATLAS ARE MADE POSSIBLE BY THE USE OF LATEST COMPUTER TECHNIQUES.

THE CONSTANT IMPROVEMENT IN THE QUALITY OF SURFACE INFORMATION RECEIVED OVER THE YEARS IS MADE POSSIBLE LARGELY BY THE WORK OF VOLUNTARY OBSERVERS IN RECENT YEARS. THE DEFENSE MAPPING AND OCEANOGRAPHIC OFFICE, AND THE USER OF THE ATLASES RELY ON OBSERVATIONS OF THE MAN WHO HAS "BEEN THERE." MARINERS, IN MAKING OBSERVATIONS, RENDER A SERVICE NOT ONLY TO THEMSELVES BUT ALSO TO ALL OTHERS WHO GO DOWN TO THE SEA IN SHIPS." WITH THE ADVENT OF NUCLEAR POWERED NAVIGATION AIDS, AND 300,000-TON SHIPS, UP-TO-DATE, RAPIDLY UPDATED ENVIRONMENTAL AND NAVIGATIONAL INFORMATION HAS BECOME INCREASINGLY IMPORTANT.



John R. McDonnell
Captain, U.S. Navy
Commander

FOREWORD

AS, ONE IN A SERIES OF 43 REGIONAL SURFACE CURRENT ATLASES, FILL A NEED OF NAVY PLANNING STAFFS AND THE SCIENTIFIC AND TIES FOR THE LATEST AVAILABLE OCEAN SURFACE CURRENT DATA. TO THE WEALTH OF NAUTICAL INFORMATION UPON WHICH OPERA- AVIGATIONAL SAFETY, AND SHIPPING ECONOMY DEPEND. RAPID E DISSEMINATION OF THIS ATLAS ARE MADE POSSIBLE BY THE CHNIQUES.

TANT IMPROVEMENT IN THE QUALITY OF SURFACE CURRENT DATA YEARS IS MADE POSSIBLE LARGELY BY THE MORE THOROUGH REPORTS VERS IN RECENT YEARS. THE DEFENSE MAPPING AGENCY, THE CE, AND THE USER OF THE ATLASES RELY ON THE PERSONAL OB- MAN WHO HAS "BEEN THERE." MARINERS, IN REPORTING THEIR ER A SERVICE NOT ONLY TO THEMSELVES BUT ALSO TO ALL "WHO IN SHIPS." WITH THE ADVENT OF NUCLEAR POWER, ELECTRONIC ND 300,000-TON SHIPS, UP-TO-DATE, RAPIDLY DISSEMINATED NAVIGATIONAL INFORMATION HAS BECOME INCREASINGLY IMPORTANT.

John R. McDonnell
JOHN R. McDONNELL
Captain, U.S. Navy
Commander

ACCESSION for	
NTIS	White Section <input checked="" type="checkbox"/>
DOC	Buff Section <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION _____	
BY	
DISTRIBUTION/AVAILABILITY CODES	
Dist.	AVAIL. and/or SPECIAL
A	13 DP -

SURFACE CURRENT ATLASES


THIS SERIES OF COMPUTERIZED ATLASES REPLACES THE OLD HYDROGRAPHIC OFFICE ATLASES OF SURFACE CURRENTS (HOP 566, 568, 569, 570) WHICH WERE MANUALLY COMPILED FROM DATA OBTAINED DURING THE PERIOD 1903 - 1934. THESE NEW ATLASES CONFORM TO THE STANDARD NAVY OCEAN AREA AND REGION INDEX LIMITS SHOWN BELOW; e.g., NOO SP 1402-NP 10 COVERS NORTH PACIFIC REGION 10 EAST OF THE PHILIPPINES.

AS INDICATED ON THIS MAP.

THESE GRAPHS MAY
AREA AS THE SOUTHERN SEA,
CURRENTS ARE SUBDIVIDED IN
PREDICTABLE BOUNDARY ZONE

RECENT IMPROVEMENTS IN THE DATA FILE ASSURE THE INCLUSION OF THE LATEST, HIGH QUALITY SURFACE CURRENT DATA AVAILABLE. THE FILE NOW CONTAINS MORE THAN 4,200,000 OBSERVATIONS AND A GENERAL UPDATE OF THE FILE WILL BE MADE.

INDEX




INTERFACE CURRENT ATLASES

OFFICE
AS AMOUNTS OF NEW DATA WARRANT, MOST LIKELY EVERY 12 - 18 MONTHS.

LASES
LOW:
PPINES.
EST.
L


THESE GRAPHICS MAY NOT BE TRULY REPRESENTATIVE OF THE ACTUAL FLOW IN SUCH AREAS AS THE NORTH SEA, PERSIAN GULF, GULF OF THAILAND, AND YELLOW SEA WHERE CURRENTS ARE STRONGLY TIDAL. FOR SUCH AREAS, OTHER SOURCES DESCRIBING PREDICTABLE HOURLY CHANGES OF TIDAL CURRENTS SHOULD BE CONSULTED.

INDEX



2

If there are 12 or more vector resultants:



(1) Persistent Current - 60 percent or more of all observations fall within a 45° sector of the 8-point compass.

Introduction

The Surface Current Data File, from which these atlases are derived, consists primarily of over four million ship set and drift observations. These data were collected by the Netherlands, Japan, Britain, France, and the United States. The file is supplemented by several thousand Geomagnetic Electrokinetograph (GEK) observations, mostly Japanese. The file spans the period from the early 1850's to the present. The earliest observations were collected by the Netherlands and Great Britain; those of the 1960's through the present are primarily United States data.


General Quality

The quality of this data file is considered high for this type of derived value. The data have been carefully screened for duplication; observations taken under adverse conditions (i.e. high winds and waves, time between observations greater than 12 hours) have been eliminated when warranted. Consideration was given to the reliability of the observer; doubtful shipboard computations of set and drift were edited; and observations with erroneous locations (mostly observations on land) have been eliminated. The accepted data are considered most useful when used collectively as in summaries where a number of observations show trends.

General Observation Technique

The set (direction) and drift (speed) are computed by the navigator from the difference between the dead reckoning (DR) position and the position determined by any type of navigational fix. The drift can be determined along any straight line track and includes all factors which cause changes in the DR position. When a fix is obtained, the current set (direction) is FROM the DR position TO the fix; the drift (speed) is equal to the distance in nautical miles between the DR and the fix, divided by the number of hours since the last fix. For successive observations, the TO POSITION of one observation becomes the FROM POSITION of the next observation.


Because the influence of current may vary along a ship's track, the MEAN POSITION of the track is assigned as the geographic location of the current observation. An example of a current computation is shown in the figure below.




EXAMPLE OF A SURFACE CURRENT (SHIP'S DRIFT) OBSERVATION

Data Presentation

The following legend shows two types of surface current presentations by 1° quadrangle, type 1 with 12 or more observations and type 2 with fewer than 12 observations. Where there are 11 or fewer observations within a 1° quadrangle, the total number of observations is shown within the 90° quadrant containing the observations.



(4) Bizonal Flow - Practically all observations are concentrated in opposite sectors, and one pair contains 80 percent as many observations as the other pair. This generally indicates that currents occur in zones of entraining opposing currents (see examples in quadrangles 1, 2, and 3).






If there are 12 or more observations in a 1° quadrangle, the surface current is depicted by vector resultants as follows:

primarily
ted by the
lemented
Japanese.
bserva-
s through

due. The
adverse
(in 12 hours)
lity
d; and ob-
eliminated.
sumaries

difference
type of
and includes
the current
al to the
of hours
ervation

SITION of
An example





(1) Persistent Current - 60 percent or more of all observations fall within a 45° sector of the 8-point compass.

(2) Prevailing Current - 70 percent or more of all observations fall within two adjacent 45° sectors.


(3) Primary Current with Secondary Direction
(a) Primary Current - 50 percent or more of all observations fall within three adjacent 45° sectors.

(b) Secondary Direction - 20 percent or more of all observations fall within a 45° sector, and the two resultant vector directions are separated by more than 90° of arc.





(4) Bizonal Flow - Practically all observations are concentrated in opposite pairs of 45° sectors, and one pair contains at least 80 percent as many observations as the opposite pair. This generally indicates variability that occurs in zones of entrainment between opposing currents (see examples A and B, quadrangles 1, 2, and 3).

(5) Variable Current - The 45° sector with most observations has less than 25 percent of all observations; direction is indeterminate.




Q






AUG, SEP

2



SPRING-OCT, NOV, DEC



25 S

29 S

115 W

110 W

SPRING-OCT, NOV, DEC


105 W


100 W

95 W

90 W


2







-JAN, FEB, MAR

2






AUTUMN-APR, MAY, JUN



ANNUAL-JAN THROUGH DEC



110 W 105 W 100 W 95 W 90 W

UAL-JAN THROUGH DEC

2

DISTRIBUTION LIST

NAVY

CINCPACFLT (02M)
COMTHIRDFLT
COMSEVENTHFLT
COMSUBPAC
COMNAVAIRPAC
COMPATWINGSPAC
PATWINGSPAC DET ADAK
PATWING 1
COMNAVSURFPAC
DIRNAVOCEANMET
FLENUMEACEN
FLEWEACEN GUAM
FLEWEACEN PEARL
NAVWEASERVFAC SAN DIEGO
NAVWEASERVFAC YOKOSUKA
NWSD ASHEVILLE
NWSED ADAK
NWSED AGANA
NWSED ATSUGI
NWSED KADENA
NWSED MISAWA

OTHER GOVT.

NOAA/NODC
NOAA/NCC

PRIVATE & UNIVERSITIES

FLORIDA ST. UNIV.
LOUISIANA ST. UNIV.
MASS. INST. OF TECH
ORE. ST. UNIV.
TEXAS A&M UNIV.
UNIV. OF MIAMI
UNIV. OF R.I.
UNIV. OF WASH.
SCRIPPS INST OF OCEANOGRAPHY
WOODS HOLE OCEANOGRAPHIC INST.

FOREIGN

HYDROGRAPHER/R.A.N.
DEPT. TRANSPORTATION/AUSTRALIA

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
REPORT NUMBER NOO SP1403-SP3	1 GOVT ACCESSION NO. AD-A085743	RECIPIENT'S CATALOG NUMBER
2 TITLE (and Subtitle) SURFACE CURRENTS NORTHEAST CENTRAL SOUTH PACIFIC OCEAN		3 TYPE OF REPORT & PERIOD COVERED Final
4 AUTHOR'S Naval Oceanographic Office NSTL Station, MS 39522		5 PERFORMING ORG. REPORT NUMBER
6 PERFORMING ORGANIZATION NAME AND ADDRESS Naval Oceanographic Office		7 CONTRACT OR GRANT NUMBER(S)
8 CONTROLLING OFFICE NAME AND ADDRESS		9 PROGRAM ELEMENT PROJECT, TASK AREA & WORK UNIT NUMBERS
10 MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		11 REPORT DATE November 1977
		12 NUMBER OF PAGES 14
		13 SECURITY CLASS (of this report)
		14a. DECLASSIFICATION/DOWNGRADING SCHEDULE
15 DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
16 DISTRIBUTION STATEMENT (of the abstract entered in Block 30, if different from Report)		
17 SUPPLEMENTARY NOTES		
18 KEY WORDS (Continue on reverse side if necessary and identify by block number) Surface Currents Northeast Central South Pacific Ocean		
19 ABSTRACT (Continue on reverse side if necessary and identify by block number) This atlas, and the series of which it is a part, is computer generated and automatically plotted. It makes available to the user the most recent surface current data collected and will be updated whenever sufficient amounts of data are added to the data file. This and the other atlases are based on a vast quantity of data as compared to the previous manually-compiled editions printed in the mid-thirties.		

DD FORM 1473 EDITION OF 1 NOV 68 IS OBSOLETE
1 JAN 73 S/N 0102-014-6601

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

20. Cont.

The surface current information is based mainly on ship drift, which is the difference between the dead reckoning position and the position determined by any type of navigational fix. This difference describes the direction and speed of the current.

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

AUDI
LME D
-8